


A photograph of a goods lift platform without an attendant, showing the internal structure and mechanical components. The image is dark blue with a yellow decorative bar at the top left and a yellow and blue striped bar at the bottom right.

GOODS LIFT PLATFORM WITHOUT ATTENDANT

Machinery Directive 2006/42/EC | Conformity with EN 81-31:2010

FEATURES



- » Platform without attendant
- » Machine room or room-less
- » Wide range of low pit / low headroom application
- » Type examination certificate
- » Simplified design - Robust construction
- » Safe construction with safety gear and rupture valve
- » Easy and safe maintenance
- » Easy installation (Frame guides option)
- » Low power consumption, low noise
- » Warranty – increased lifetime



MAX. PLATFORM DIMENSIONS

2500mm (W) x 2000mm (D)



MAX. PLATFORM AREA

5m²



MAX. RATED LOAD

2000Kg




MAX. SPEED

0.3 m/s




MAX. TRAVEL

12000 mm



PLAN VIEW



Plan View - Single Entrance
* (Adjacent 90° or Through Car 180°)

IDEAL FOR



Industrial or Commercial

APPLICATIONS

DOORS SET UP

- » Single Entrance
- » Double Entrance*
- » Three Entrances

PLATFORM

- » Epoxy
- » Galvanized
- » Stainless Steel

Landing doors: Manual Hinged or Folding Shutters option

Specifications Goods Lift Platform

Type	GLP-300	GLP-500	GLP-750	GLP-1000	GLP-1250	GLP-1500	GLP-2000
Rated Load (Kg)	300	500	750	1000	1250	1500	2000
Max. Platform Area (m ²)	1.5	2.5	3.75	5	5	5	5
Acting	1:2	1:2	1:2	1:2	1:2	1:2	1:2
Max. Speed (m/s)	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Max Travel (mm)	12000	12000	12000	12000	12000	12000	12000
Platform (mmXmm)	1000x1000	1250x1250	1500x1250	1500x1500	2000x1500	2000x2000	2500x2000
Shaft (mmXmm)	1200x1400	1450x1650	1700x1650	1700x1900	2200x1900	2200x2400	2700x2450
Min. Pit * (mm)	220	240	380	400	420	440	460
Min Headroom (mm)	2200	2200	2200	2200	2200	2400	2500
Max Platform Width (mm)	1500	1667	1875	2500	2500	2500	2500
Max Platform Depth (mm)	1000	1500	2000	2000	2000	2000	2000
Min Shaft Width for max PW (mm)	1700	1867	2075	2700	2700	2700	2700
Min Shaft Depth for max PD (mm)	1400	1900	2400	2400	2400	2400	2450

* depends on the dimensions of the platform